

Austempered Sickle Section

AUSTEMPERED HEAT TREATMENT	Mentitors ©	 Austempered sickle sections are made up of substantially tougher, longer lasting material that has proven less chipping, fewer broken sections and noticeably less wear Unique process that involves through-hardening the entire section, versus competitors only heat-treating the cutting portion Substantial lab and field testing confirm worry free harvesting performance
FINE SECTION SERRATIONS		 14 serrations per inch Provides optimal cutting characteristics in green forage, high moisture and hay crops Delivers a clean cut, increasing efficiency and decreasing horsepower demand during harvest Crops: Forage, Grasses, Flax and Lentils
COARSE SECTION SERRATIONS	Madhada	 9 serrations per inch Provides optimal balance of durability and cutting edge technology in thick stem crops Recommended use for on the ground applications, coarse sickle sections hold their cutting edge longer in these high debris conditions Crops: Wheat, Soybeans, Canola, Cereals and Pulses
ULTRA COARSE SECTION SERRATIONS	Moody	 4 serrations per inch Provides peak cutting performance and durability in thick stemmed crops Recommended use for thicker stemmed crops and adverse conditions
HIGH PERFORMANCE CUTTING EDGE		 Designed to self sharpen as they wear, meaning your sickle sections will continue to stay sharp throughout the section life
PRECISION SPACING AND FIT	•	 Guaranteed hole spacing means your replacement sickle section will fit your MacDon perfectly every time, inconsistently spaced holes lead to premature bolt failure costing valuable downtime Best fit paired with your MacDon guards
DISTINCTIVE MACDON AUSTEMPERED SECTION LOGO AND PACKAGE	Martin transport	 Distinctive MacDon box assures you of MacDon Austempered sickle sections Only the MacDon logo guarantees that it's original

Austempered Sickle Section

1-SERIES SECTION



2-SERIES SECTION



1-SERIES & 2-SERIES DIFFERENCES

2-Series Sections are not compatible with older generation MacDon headers.

2-SERIES SICKLE SECTIONS

286461 - Standard Clearcut Coarse Section (25)

286462 - Standard Clearcut Fine Section (25)

286627 - Standard Clearcut Ultra Coarse Section (25)

286463 - Clearcut Coarse Top Countersunk Section (10)

286464 - Clearcut Coarse Bottom Countersunk Section (10)

286465 - Clearcut Fine Top Countersunk Section (10)

286466 - Clearcut Fine Bottom Countersunk Section (10)

286628 - Clearcut Ultra Coarse Top Countersunk Section (10)

286629 - Clearcut Ultra Coarse Bottom Countersunk Section (10)

226983 - End Sickle Section (Single)

1-SERIES SICKLE SECTIONS

279641 - Coarse Sickle Section (25)

279642 - Fine Sickle Section (25)

294947 - Ultra Coarse Sickle Section (25)

279314 - Coarse Top Countersunk Sickle Section (10)

279310 - Coarse Bottom Countersunk Sickle Section (10)

279316 - Fine Top Countersunk Sickle Section (10)

279312 - Fine Bottom Countersunk Sickle Section (10)

279468 - End Sickle Sections (10)

Demand the best for your harvest...

Ask for MacDon Performance Parts at your local MacDon Dealer

